

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	504	bus near2 (enumer\$5 or configur\$5 or initial\$7) near2 (cycle or step or routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/27 11:13
S3	71	S2 and (memory or storage) near3 (driver or protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/23 14:06
S4	69	S3 and (@ad<="20030423" or @riad<="20030423")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/28 10:59
S5	2	("5790782").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/23 14:41
S10	68	bus near2 (enumer\$5 or configur\$5 or initial\$7) near2 (cycle or step or routine) and (plug near3 play)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/23 16:37
S12	27	(bus or module) near2 (enumer\$5 or configur\$5 or initial\$7) near2 (cycle or step or routine) with plurality near3 module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/23 16:38
S13	25	S12 and (@ad<="20030423" or @riad<="20030423")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/23 16:39
S14	70	S2 and ((gather\$5 or collect\$5 or assembl\$5) near4 (id or address or identification or name or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/23 18:03
S15	70	S14 and (@ad<="20030423" or @riad<="20030423")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/23 17:52
S18	6	bus near2 (enumer\$5 or configur\$5 or initial\$7) near4 stack\$4 near4 (module or component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/27 15:43

## EAST Search History

S19	8	(("6023585") or ("6003097") or ("5787246") or ("5655148")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 11:42
S28	9	modular near4 (computer or pc) with bus near4 (enumer\$5 or configur\$5 or initial\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/01 13:13